
Bats in the Belfry

FREE DOWNLOAD PATTERN 50" x 66"





Requirements & Cutting Instructions:

Fabric		Yardage	Cutting Instructions
Fabric A 83410-12		2/3 yd (incl. extra allowance for fussy cutting)	Fussy cut 6 – 6 ¼" squares on point, centering a haunted house on each.
Fabric B 83410-41		2/3 yd (incl. extra allowance for fussy cutting)	Fussy cut 6 – 6 ¼" squares on point, centering a haunted house on each.
Fabric C 83410-53		2/3 yd (incl. extra allowance for fussy cutting)	Fussy cut 6 – 6 1/4" squares on point, centering a haunted house on each.
Fabric D 83411-81		1 yd	Cut 6 – 4 ½" x WOF strips (Outer Border)
Fabric E 83412-57	8888 8888 8888	1/3 yd	Cut 2 – 5 ¼" x WOF strips ➤ Sub-cut 12 – 5 ¼" squares; cut each square once on the diagonal
Fabric F 83413-49	,	1/2 yd	Cut 1 − 4" x WOF strip; Sub-cut 5 − 4" squares Cut 1 − 2 ½" x WOF strip ➤ Sub-cut 17 − 2 ½" squares Cut 5 − 1 ½" x WOF strips ➤ Sub-cut 34 − 1 ½" x 2 ½" strips and 34 − 1 ½" x 3 ½" strips
Fabric G 83413-53		1/4 yd	Cut 5 – 1 ½" x WOF strips (Inner Border)
Fabric H 83413-62		1/3 yd	Cut 2 – 5 ¼" x WOF strips ➤ Sub-cut 12 – 5 ¼" squares; cut each square once on the diagonal
Fabric J 83413-86		7/8 yds (includes Binding)	Cut 2 – 5 ¼" x WOF strips Sub-cut 12 – 5 ¼" squares; cut each square once on the diagonal Cut 6 – 2 ½" x WOF strips (set aside for Binding)
Fabric K 81000-150		1 1/2 yds	Cut 1 – 4" x WOF strip; Sub-cut 5 – 4" squares Cut 28 – 1 ½" x WOF strips Sub-cut 85 – 1 ½" squares Sub-cut 34 – 1 ½" x 2 ½" strips Sub-cut 34 – 1 ½" x 3 ½" strips Sub-cut 17 – 1 ½" x 4 ½" strips Sub-cut 17 – 1 ½" x 5 ½" strips Sub-cut 17 – 1 ½" x 6 ½" strips Sub-cut 34 – 1 ½" x 7 ½" strips Sub-cut 34 – 1 ½" x 7 ½" strips Sub-cut 17 – 1 ½" x 8 ½" strips
83412-49	888 888 888 888	3 yds Crosswise Backing	Cut in half along the LOF; sew the two pieces together along the selvage edges.

Block 1 Instructions (Square In A Square):

- 1. To make Block 1, gather six of each 6 1/4" haunted house square and their corresponding triangles.
- 2. Fold the square and the triangles in half and finger press at the edges to mark the center point. Sew a triangle to opposite sides of the square, matching up the creases to center the triangle on the square. Open and press. In the same manner, sew the remaining triangles to the remaining two sides of the center square. Trim to 8 ½" square. Repeat to make 18 Block 1's.

Block 2 Instructions (Bat Block):

- 1. Following the 8-at-a-time HST method, mark the wrong side of the five 4" Fabric K squares, as shown.
- 2. Pair each with a 4" Fabric F square, right sides together, and pin in place.
- 3. Sew ¼" on both sides of the diagonal lines and press to set seams.
- 4. Cut along the four drawn lines. Open and press each HST unit. Trim each HST to 1 ½".





- 5. Sew an HST to one end of 17 1 ½" x 2 ½" Fabric F strips, as shown. Make 17 Unit 1's.
- Unit 1
- 6. Sew an HST to one end of $17 1 \frac{1}{2}$ " x 2 $\frac{1}{2}$ " Fabric F strips and a 1 $\frac{1}{2}$ " Fabric K square to the opposite end, as shown. Make 17 Unit 2's.



Unit 2

7. Draw a diagonal line on the wrong side of $68 - 1 \frac{1}{2}$ " Fabric K squares. Place one marked square on each end of a $1 \frac{1}{2}$ " x $3 \frac{1}{2}$ " Fabric F strip and sew along the marked line. Trim $\frac{1}{4}$ " away from the sewn line, open and press. Make 34 Unit 3's.



Unit 3

- 8. Sew a 1 ½" x 2 ½" Fabric K strip to the right end of Unit 3, as shown below. Make 17 Unit 3a's.
- 9. Sew a 1 ½" x 3 ½" Fabric K strip to the left end of Unit 3, as shown below. Make 17 Unit 3b's.



Unit 3a




Unit 3b

10. Beginning with a 2 ½" Fabric F square, sew a 1 ½" x 2 ½" Fabric K strip to the right edge and a 1 ½" x 3 ½" Fabric K strip to the bottom edge, as shown.




11. Next, sew a Unit 1 to the left edge, followed by a Unit 2 to the top edge, as shown below.




12. Next, sew a 1 ½" x 4 ½" Fabric K strip to the right edge and a 1 ½" x 5 ½" Fabric K strip to the bottom edge, as shown.



13. Next, sew a Unit 3a to the left edge, followed by a Unit 3b to the top edge, as shown below.



14. Finally, sew 1 ½" x 6 ½" Fabric K strip to the right edge; then a 1 ½" x 7 ½" Fabric K strip to the bottom edge; then a 1 ½" x 7 ½" Fabric K strip to the left edge; and finally a 1 ½" x 8 ½" Fabric K strip to the top edge to complete Block 2. Repeat to make 17 Block 2's.



- 15. Referring to the finished quilt image, arrange blocks into 7 rows of 5 blocks each, alternating Blocks 1 & 2 and noting the color of Block 1 in each position, and the direction of each Block 2.
- 16. Sew blocks together into rows. Then sew rows together to complete the quilt top.
- 17. Join the five Fabric G Inner Border strips end to end. Measure the length of the quilt top and cut two side Inner Border strips to size and sew to each side of the quilt top.
- 18. Measure the width of the quilt top and cut and join top & bottom Inner Border strips in the same manner.
- 19. Join the six Fabric D Out Border strips and follow the previous two steps to join the Outer Border strips to the quilt top.
- 20. Join the six Fabric J Binding strips using diagonal seams. Fold in half wrong sides together along the length of the strip and press.
- 21. Layer quilt top with batting and prepared backing. Quilt as desired. Bind using your favorite method.