


# Rocky Mountain High

13" x 51" Runner

## Featuring Northcott's **Stonehenge Gradations**



### **Requirements:**

	Fabric	Yardage	Cutting Instructions (WOF = width of fabric; LOF = length of fabric)
Fabric 1	Light Blue – 26758-49	1/4 yd	Cut 1 – 2 ½" x WOF; sub-cut 3 – 2 ½ " x 10 ½" strips Cut 1 – 4 ½" x WOF; sub-cut 6 – 4 ½" x 6 ½" strips
Fabric 2	Dark Brown – 26755-98	1/6 yd	Cut 1 – 4 ½" x WOF; sub-cut 6 – 4 ½" squares
Fabric 3	Medium Brown – 26756-98	1/4 yd	Cut $2-3\frac{1}{2}$ " x WOF; sub-cut $4-3\frac{1}{2}$ " x $9\frac{1}{2}$ " strips, $4-3\frac{1}{2}$ " x $6\frac{1}{2}$ " strips and $4-3\frac{1}{2}$ " x $2$ " strips; Trim remainder of strip to $2$ " and cut $4-2$ " squares
Fabric 4	Dark Green – 26756-78 (Includes Binding)	3/8 yd	Cut 1 – 3 ½" x WOF; sub-cut 5 – 3 ½" squares; Trim remainder of strip to 2" and cut 4 – 2" squares Cut 4 – 2 ¼" x WOF strips (set aside for Binding)
Fabric 5	Medium Green – 26757-78	1/8 yd	Cut 1 – 4" x WOF; sub-cut 4 – 4" squares
Fabric 6	Teal – 26757-66	1/2 yd	Cut 1 – 10" x WOF; sub-cut 3 – 10" squares Cut 1 – 7 ¼" x WOF; sub-cut 2 – 7 ¼" squares
Backing	Medium Green – 26757-78	3/4 yd	Cut 2 – 18" x <b>LOF</b> pieces; join on short edges to yield an 18" x 54" backing.

#### **Block 1 Assembly:**

1. Sew a 2" Fabric 3 & Fabric 4 square together. Add a 2" x 3 ½" Fabric 3 rectangle to one long edge as shown.



2. Cut the 4 – 4" Fabric 5 squares once on the diagonal. Sew two of these triangles to the left and lower edges of the unit. Cut the 2 – 7 ¼" Fabric 6 squares once on the diagonal. Sew one of these triangles to the diagonal edge of the unit. Trim to 6 ½" square.



3. Sew a  $3\frac{1}{2}$ " x  $6\frac{1}{2}$ " rectangle to the top edge of the unit. Then sew a  $3\frac{1}{2}$ " x  $9\frac{1}{2}$ " rectangle to the right edge. Block should measure  $9\frac{1}{2}$ " square. Repeat Steps 1-3 to make four Block 1's.




#### **Block 2 Assembly:**

- 1. Sew a 4 ½" Fabric 2 square to one side of 2 4 ½" x 6 ½" Fabric 1 rectangles. Arrange these units with a 2 ½"x 10 ½" Fabric 1 strip in between, and sew the rows together as shown. Repeat to make three Block 2's.
- 2. Cut each block once on the diagonal as shown to yield six triangle units.




1. Mark a diagonal line on the wrong side of the 5 – 3 ½" Fabric 4 squares. Place two in opposite corners of a 10" Fabric 6 square. Sew on the lines. Open & press to the outer corners. Trim ¼" seam allowance from the bottom two layers. Repeat to make three Block 3's. (NOTE: You will sew just one corner square to the third 10" square.)





#### **Runner Assembly:**

 Arrange blocks on point as shown. Sew diagonal rows together. Add a Block 3 triangle to the bottom left corner and a Block 2 triangle to the upper right corner. Roughly trim the excess from these



- triangles. The runner will be trimmed to size after quilting.
- 2. Layer quilt top with batting & backing. Quilt as desired. Trim all edges to ¼" beyond the points of the Block 1's.
- 3. Join the  $4 2 \frac{1}{4}$ " binding strips end to end using diagonal seams. Fold in half along length of strip with wrong sides together and press. Bind using your favourite method.